

- 7 Bu S D, Kim D M, Choi L H, et al. Synthesis and properties of c -axis oriented epitaxial MgB₂ thin films. *Appl Phys Lett*, 2002, 81: 1851—1853
- 8 Ueda K, Naito M. As-grown superconducting MgB₂ thin films prepared by molecular beam epitaxy. *Appl Phys Lett*, 2001, 79: 2046—2048
- 9 Paranthaman M, Cantoni C, Zhai H Y, et al. Superconducting MgB₂ films via precursor postprocessing approach. *Appl Phys Lett*, 2001, 78: 3669—3671
- 10 Zhai H Y, Christen H M, White C W, et al. Buried superconducting layers comprised of magnesium diboride nanocrystals formed by ion implantation. *Appl Phys Lett*, 2002, 80: 4786—4788
- 11 Wang S F, Zhou Y L, Zhu Y B, et al. MgB₂ double sided thick films fabricated on various metals by electrophoresis method. *Physica C*, 2003, 390: 6—10
- 12 Canfield P C, Finnemore D K, Bud'ko S L, et al. Superconductivity in dense MgB₂ wires. *Phys Rev Lett*, 2001, 86: 2423—2426
- 13 Finnemore D K, Ostenson J E, Bud'ko S L, et al. Thermodynamic and transport properties of superconducting Mg¹⁰B₂. *Phys Rev Lett*, 2001, 86: 2420—2422
- 14 Chen X H, Wang Y S, Xue Y Y, et al. Correlation between the residual resistance ratio and magnetoresistance in MgB₂. *Phys Rev B*, 2001, 65: 024502—024506
- 15 Xu M, Kitazawa H, Takano Y, et al. Anisotropy of superconductivity from MgB₂ single crystals. *Appl Phys Lett*, 2001, 79: 2779—2781
- 16 Kim K H, Betts J B, Jaime M, et al. Mg as a main source for the diverse magnetotransport properties of MgB₂. *Phys Rev B*, 2002, 66: 020506—020509
- 17 Klein N, Dahne U, Poppe U, et al. Microwave surface resistance of epitaxial YBa₂Cu₃O₇ thin films at 18.7 GHz measured by a dielectric resonator technique. *Journal of superconductivity*, 1992, 5: 195—201



国家自然科学基金研究专著
《中国东南部晚中生代花岗质火山-侵入杂岩成因与地壳演化》
王德滋 周新民 等著
科学出版社 定价：60.00 元

本书从壳幔作用角度剖析了中国东南部晚中生代花岗岩的形成过程，总结了三类花岗质火山-侵入杂岩的时空分布规律及其与伸展构造的关系。从玄武质角砾岩筒中的辉长质麻粒岩包体，获取了玄武岩浆底侵作用的直接证据。在综合研究的基础上，建立了东南沿海晚中生代构造岩浆作用模式，论述了内陆S型花岗岩形成与演化的规律。

本书可供有关高等院校的师生、科研部门的研究人员和研究生阅读。